



DISTRIBUTED BY:



2293 S MT PROSPECT RD
 DES PLAINES, IL 60018
 TOLL FREE: 800-284-5779
 PHONE: 312-738-3700
 FAX: 312-738-5329
 E-MAIL: sales@seedburo.com
 WEB: www.seedburo.com

**AUXILIARY MODULE CALIBRATIONS AVAILABLE FOR STEINLITE SB900
 LISTED ALPHABETICALLY WITHIN COMMODITY SECTIONS
 AS OF 01/22/09**

| Main Commodity | ID Number | Product | Testing Wt. In Grams | Moisture Range in Percent | Temperature Limits in Degrees F |
|----------------|-----------|----------------------------------|----------------------|---------------------------|---------------------------------|
| ALFALFA | 190 | Alfalfa | 250 | 8-18 | 60-95 |
| | 122 | Alfalfa Pellets #3 | 250 | 5-12.5 | 60-95 |
| | 123 | Alfalfa Meal (Ground Pellets) | 200 | 6-13 | 60-95 |
| BARLEY | 222 | Barley 85 | 250 | 9-18 | 50-95 |
| | 397 | Hulled Barley | 250 | 8-18 | 65-95 |
| | 142 | Barley Malt | 220 | 5-15 | 50-95 |
| | 711 | Barley Meal (flour) | 200* | 2-10 | 60-95 |
| | 702 | Brocked Barley (meal) | 250 | 10-19 | 60-95 |
| | 193 | Steam Rolled Barley | 175 | 10-16 | 60-95 |
| | 271 | Steam Rolled Barley #2 | 165 | 10-16 | 60-95 |
| BEANS | 374 | Adzuki Beans | 250 | 10-19 | 60-95 |
| | 705 | Bayo Bean | 250 | 8-16 | 60-95 |
| | 126 | Black Beans | 250 | 11-18 | 60-95 |
| | 361 | Black Beans #2 (TC) | 250 | 10-30 | 35-100 |
| | 706 | Broad Bean | 250 | 6-14 | 60-95 |
| | 713 | Broad Bean Meal (flour) | 200* | 7-15 | 60-95 |
| | 697 | Canario Bean | 250 | 10-18 | 60-95 |
| | 127 | Cocoa Beans | 225 | 4-10 | 60-90 |
| | 362 | Cranberry Beans (Bush) (TC) | 250 | 10-30 | 35-100 |
| | | Cranberry Beans | 250 | 9-19 | 60-95 |
| | 363 | Cranberry Beans (Vine) (TC) | 250 | 10-30 | 35-100 |
| | 128 | Erimo Shozu Beans | 250 | 9-20 | 60-90 |
| | 129 | Garbonzo Beans | 250 | 9-19 | 60-100 |
| | 131 | Hime Tebo Beans | 250 | 9-20 | 60-90 |
| | 133 | Kidney Beans (Dark Red) | 250 | 9-20 | 60-95 |
| | 365 | Kidney Beans #2 (Dark Red) (TC) | 250 | 10-30 | 35-100 |
| | 132 | Kidney Beans (Light Red) | 250 | 9-18 | 60-95 |
| | 227 | Kidney Beans #2 (Light Red) | 250 | 9-18 | 60-95 |
| | 366 | Kidney Beans #3 (Light Red) (TC) | 250 | 10-30 | 35-100 |

**AUXILIARY MODULE CALIBRATIONS AVAILABLE FOR STEINLITE SB900
LISTED ALPHABETICALLY WITHIN COMMODITY SECTIONS**

| Main Commodity | ID Number | Product | Testing Wt. In Grams | Moisture Range in Percent | Temperature Limits in Degrees F |
|--------------------------|----------------------|------------------------------------|----------------------|---------------------------|---------------------------------|
| BEANS CONT'D | 437 | Lima Beans (Baby) | 250 | 6-30 | 60-95 |
| | 438 | Lima Beans (Green Baby) | 250 | 6-30 | 60-95 |
| | 439 | Lima Beans (Large) | 250 | 7-22 | 60-95 |
| | 441 | Lima Beans (Speckled) | 250 | 7-30 | 60-95 |
| | 134 | Lupin Beans | 250 | 9-18 | 50-90 |
| | 135 | Mung Beans (Giant) | 250 | 9.5-15 | 60-95 |
| | 367 | Navy Beans (TC) | 250 | 10-30 | 35-100 |
| | 136 | Navy Pea Beans #2 | 250 | 11-20 | 60-95 |
| | 130 | Great Northern Beans #2 | 250 | 9-18 | 50-95 |
| | 364 | Great Northern Beans #3 (TC) | 250 | 10-30 | 35-100 |
| | 696 | Panamito Bean | 250 | 10-18 | 60-95 |
| | 137 | Pink Beans | 250 | 9-20 | 60-90 |
| | 138 | Pinto Beans #3 | 250 | 9-18 | 65-95 |
| | 368 | Pinto Beans #4 (TC) | 250 | 10-30 | 35-100 |
| | 440 | Pinto Beans (Split) | 250 | 7-30 | 60-95 |
| | 443 | Red Beans (Small) | 250 | 7-30 | 60-95 |
| | 703 | Strawberry Bean | 250 | 9-19 | 60-95 |
| | 369 | White Beans (Small) (TC) | 250 | 10-30 | 35-100 |
| 442 | Yellow-Eye Pea Beans | 250 | 5-27 | 60-95 | |
| BEEF | 395 | Raw Sugarbeet (TC) | 110 | 6-25 | 50-100 |
| | 358 | Processed Sugarbeet (TC) | 200 | 5-30 | 50-100 |
| | 396 | Treated Sugarbeet (TC) | 200 | 8-18 | 50-100 |
| | 391 | Sugarbeet Pulp w/Molasses | 110** | 4-13.5 | 50-90 |
| | 176 | Sugarbeet Pulp Pellets | 250 | 6-15 | 50-90 |
| | | Sugarbeet Pulp Pellets w/Molasses | 250 | 6-15 | 50-90 |
| BIRD SEED MIX | 467 | Exclusively for the Birds | 250 | 6-15 | 60-95 |
| | 466 | Squirrel Free | 250 | 6-15 | 60-95 |
| | 700 | Birdseed | 250 | 6-14 | 60-95 |
| BLOOD | 198 | Blood Meal | 225 | 8-12 | 65-95 |
| | 245 | Blood Meal #2 | 225 | 8-17 | 65-95 |
| BONE | 172 | Gel Bone #2 | 300 | 4-10 | 65-90 |
| | 197 | Gel Bone #4 | 300 | 3-11 | 65-90 |
| | 199 | LoProtein Meat & Bone Meal#2 (grd) | 250 | 5-10 | 65-90 |
| | 203 | HiProtein Meat & Bone Meal#2 (grd) | 225 | 5-11 | 60-90 |
| BUCKWHEAT | 382 | Buckwheat #2 | 250 | 8-30 | 60-95 |
| | 426 | Buckwheat Groats | 250 | 6-14.5 | 50-95 |
| | | | | | |
| CANOLA | 432 | Spring Canola | 250 | 5.5-12.5 | 70-90 |
| | 514 | Rapeseed Meal | 200 | 8-14 | 60-100 |

**AUXILIARY MODULE CALIBRATIONS AVAILABLE FOR STEINLITE SB900
LISTED ALPHABETICALLY WITHIN COMMODITY SECTIONS**

| Main Commodity | ID Number | Product | Testing Wt. In Grams | Moisture Range in Percent | Temperature Limits in Degrees F |
|----------------------------|-----------------------|-------------------------------------|----------------------|---------------------------|---------------------------------|
| CEREAL (PUFFED) | 468 | Corn | 25** | 3-12 | 60-95 |
| | 471 | Kamut | 28** | 3-12 | 60-95 |
| | 472 | Kashi | 40** | 3-12 | 60-95 |
| | 470 | Rice (Brown) | 28** | 3.5-12 | 60-95 |
| | 469 | Wheat | 25** | 3-12 | 60-95 |
| | 701 | Quinoa (gluten free) | 275 | 10-21 | 60-95 |
| CITRUS | 431 | Citrus Pulp (TC) | 125 | 6-29.5 | 35-110 |
| | 150 | Citrus Pulp Pellets | 250 | 5-15 | 60-110 |
| | 151 | Citrus Pulp Pellets (Ground) | 250 | 5-15 | 60-110 |
| | 174 | Citrus Pulp Pellets (Screened) | 250 | 5-15 | 60-110 |
| COFFEE | 154 | Green Coffee Beans | 250 | 12-22 | 60-95 |
| | 156 | Decaffeinated Green Coffee Beans | 250 | 8-14 | 60-90 |
| | 155 | High Moisture Green Coffee Beans | 250 | 25-40 | 60-100 |
| | 152 | Superior Green Coffee Beans | 250 | 9.5-16 | 60-95 |
| | 157 | Decaffeinated Coffee Beans | 250 | 8-13 | 60-90 |
| | 153 | Oro Coffee Beans | 250 | 10-16 | 65-95 |
| | 158 | Parchment Coffee Beans | 175 | 10-20 | 60-95 |
| | 160 | Parchment Coffee Beans #2 | 175 | 13-21.5 | 60-95 |
| | 616 | Parchment Pergamino Coffee Beans #3 | 175 | 8-50 | 60-100 |
| | 159 | Pergamino Coffee Beans | 175 | 9-20 | 60-95 |
| | 537 | Pergamino Coffee Beans (Hi-Moist) | 300 | 21-50 | 60-95 |
| | 148 | Roasted Coffee Beans | 140 | 2-6 | 60-100 |
| | 161 | Semi-Roasted Coffee Beans | 250 | 5-10 | 60-95 |
| | 149 | Ground Roasted Coffee Beans | 140 | 2-6 | 60-100 |
| | 651 | Hawaii Parchment | 175 | 8-30 | 60-95 |
| 652 | Hawaii Less Parchment | 250 | 4-22 | 60-95 | |
| CORN | 139 | Corn | 250 | 10-36 | 50-90 |
| | 147 | Corn #3 | 250 | 10-36 | 50-90 |
| | 237 | Corn #4 (TC) | 250 | 10-35 | 35-110 |
| | 291 | Corn #6 (with test/weight) | 250 | 10-35 | 50-90 |
| | 385 | Corn #6 (without test/weight) | 250 | 10-35 | 40-100 |
| | 473 | Corn #7 (TC) Standard | 250 | 10-35 | 35-110 |
| | 427 | Crimped Roasted Corn | 250 | 8-18 | 70-110 |
| | 398 | Flaked Corn | 200 | 14-30 | 40-100 |
| | 208 | Flaked Corn #2 | 165 | 15-30 | 60-95 |
| | 214 | Grain Roasted Flaked Corn (TC) | 210 | 4-15 | 70-120 |
| | 425 | Steam Rolled Flaked Corn | 125 | 10-25 | 60-95 |
| | 527 | Corn – Toasted | 175 | 1-9 | 60-95 |
| | 180 | Corn Grits | 250 | 10-16 | 50-90 |

**AUXILIARY MODULE CALIBRATIONS AVAILABLE FOR STEINLITE SB900
LISTED ALPHABETICALLY WITHIN COMMODITY SECTIONS**

| Main Commodity | ID Number | Product | Testing Wt. In Grams | Moisture Range in Percent | Temperature Limits in Degrees F |
|-----------------------|-------------------------------|-------------------------------------|----------------------|---------------------------|---------------------------------|
| CORN CON'T | 166 | Corn Grits #2 | 250 | 10-20 | 50-90 |
| | 181 | Corn Grits #3 | 250 | 10-18 | 50-90 |
| | 287 | Flaking Grits (TC) | 250 | 11-19 | 60-120 |
| | 422 | Ground Corn | 250 | 10-20 | 50-95 |
| | 661 | Ground Flaked Corn | 250 | 4-22 | 60-95 |
| | 400 | High Moisture Ground Corn | 250 | 21-31 | 40-100 |
| | 399 | Hi-Moist Reconstituted Ground Corn | 250 | 20-30 | 40-100 |
| | 255 | Ground Corn Cobs | 100 | 8.5-17 | 60-95 |
| | 289 | Corn Hominy Feed #3 | 200 | 8-20 | 70-100 |
| | 182 | Corn Meal #3 | 250 | 10-20 | 50-95 |
| | 288 | Corn Meal #4 (TC) | 250 | 10-15 | 60-120 |
| | 584 | Corn Meal #5 (Frito Lay) (TC) | 250 | 8-20 | 35-120 |
| | 619 | Corn Meal #6 (Frito Lay) (TC) | 250 | 8-26 | 35-120 |
| | 572 | Corn Meal Mix | 250 | 11-19 | 60-95 |
| | 371 | Rolled Corn #2 | 250 | 12-20 | 65-90 |
| | 302 | Corn Screenings #2 | 250 | 9-20 | 50-90 |
| | 270 | Steam Rolled Corn #2 | 175 | 10-18 | 50-100 |
| | 655 | Mexican White Corn | 250 | 6-38 | 60-95 |
| | 712 | Roasted Yellow Corn Meal (flour) | 200* | 9-18 | 60-95 |
| | 704 | Soft White Mote Corn | 250 | 10-18 | 60-95 |
| 709 | White Corn Meal (flour) | 200* | 10-18 | 60-95 | |
| 698 | White Flint Corn | 250 | 10-18 | 60-95 | |
| 695 | X-Large Yellow Kernel Corn | 250 | 10-18 | 60-95 | |
| 708 | Yellow Dent Corn Meal (flour) | 200* | 9-17 | 60-95 | |
| COTTONSEED | | | | | |
| | 125 | Undelinted Cottonseed #2 | 150** | 6-22 | 60-95 |
| | 561 | Undelinted Cottonseed #3 | 150** | 5-24 | 60-95 |
| | 613 | Undelinted Cottonseed #4 | 150** | 5-25 | 50-115 |
| | 562 | Undelinted Roller Milled Cottonseed | 150** | 4.5-23 | 60-95 |
| | 563 | Undelinted Cottonseed Cake | 200** | 4-13 | 60-95 |
| | 143 | Mechanically Delinted Cottonseed #2 | 200** | 6-23 | 60-90 |
| | 218 | Acid Delinted Cottonseed | 250 | 7-17.5 | 60-90 |
| | 614 | Acid Delinted Cottonseed #2 | 250 | 6-18 | 50-115 |
| | 517 | Cottonseed Raw Ground Meats | 225 | 7-13 | 60-95 |
| | 518 | Cottonseed Flakes (TC) | 200 | 6-14 | 60-115 |
| | 354 | Cooked Cottonseed | 250 | 8-16 | 65-90 |
| | 305 | Cooked Cottonseed #2 (TC) | 250 | 5-13 | 70-120 |
| | 306 | Expanded Cottonseed (grd&scrnd)(TC) | 225 | 5-13 | 70-120 |
| | 355 | Cottonseed Meal #2 (ground) | 250 | 9-17 | 50-90 |
| | 356 | Cottonseed Meal #2 (unground) | 250 | 9-17 | 50-90 |
| | 307 | Cottonseed Meal #3 (ground) | 225 | 9-17 | 60-100 |
| CRAMBE | 333 | Crambe | 150 | 6-18 | 50-90 |

**AUXILIARY MODULE CALIBRATIONS AVAILABLE FOR STEINLITE SB900
LISTED ALPHABETICALLY WITHIN COMMODITY SECTIONS**

| Main Commodity | ID Number | Product | Testing Wt. In Grams | Moisture Range in Percent | Temperature Limits in Degrees F |
|---------------------|-----------|--|----------------------|---------------------------|---------------------------------|
| DISTILLERS | | | | | |
| DRIED GRAINS | | | | | |
| | 141 | Distillers Dried Grains | 230 | 6-17 | 50-95 |
| | 266 | Distillers Dried Grains (TC) | 150 | 5-15 | 50-120 |
| | 300 | DDG w/solubles #2 (Mingler)(TC) | 150 | 20-30 | 70-120 |
| | 299 | DDG w/solubles #2 (Rotary)(TC) | 150 | 6-17 | 70-120 |
| FEED | 607 | Dog Food | 210 | 5-25 | 35-120 |
| | 482 | Feed Meal (Cattle) | 175 | 8-20 | 50-90 |
| | 483 | Feed Pellets (Cattle) | 250 | 8-20 | 50-90 |
| | 394 | Pork Feed | 250 | 10-19 | 55-95 |
| | 484 | Pork Finisher Feed | 250 | 10-20 | 55-90 |
| | 523 | Feathermeal-Rendered Animal Protein (R.A.P.) | 250 | 4-12 | 60-95 |
| | 487 | Feed Meal #2 (Poultry & Swine) | 250 | 10-16 | 70-120 |
| | 304 | Feed Pellets #2 (Poultry & Swine) | 250 | 10-20 | 55-95 |
| | 566 | Feed Pellets – Urea #850 | 225 | 8-16 | 60-95 |
| Feed Con't | 567 | Feed Pellets – 10's #851 | 225 | 8-18 | 60-95 |
| | 568 | Feed Pellets – 33's #852 | 250 | 8-16 | 60-95 |
| | 569 | Feed Pellets – Fiber | 225 | 8-16 | 60-95 |
| | 570 | Feed Pellets – Buffer | 250 | 8-16 | 60-95 |
| | 571 | Feed Pellets – Vitamin | 250 | 8-16 | 60-95 |
| | 687 | Feed Pellets – Cargil | 250 | 8-17 | 60-95 |
| FISH | 246 | Fish Meal #2 | 250 | 7-17 | 55-100 |
| FLOWER SEEDS | 488 | Alyssum – Lavender | 130 | 4-12 | 60-95 |
| | 502 | Aster – Pot “N” Patio – Scarlet | 200 | 4-12 | 60-95 |
| | 547 | Balsam | 200 | 4-12 | 60-95 |
| | 505 | Basil – Herb – Green Bouquet | 190 | 4-12 | 60-95 |
| | 509 | Caspia – Statice | 300 | 4-12 | 60-95 |
| | 546 | Cosmos | 150 | 4-12 | 60-95 |
| | 489 | Dahlia – Figaro Improved | 90 | 4-12 | 60-95 |
| | 503 | Daisy – Dahlberg – Golden Fleece | 150 | 4-12 | 60-95 |
| | 490 | Delphinium – Dwarf White Shade | 115 | 4-12 | 60-95 |
| | 499 | Gazania – Daybreak Pink | 150 | 4-12 | 60-95 |
| | 491 | Geranium w/hull – Scarlet Border | 115 | 4-12 | 60-95 |
| | 500 | Geranium (no hull) – Scarlet Border | 250 | 4-12 | 60-95 |
| | 504 | Gerbera – California Mix | 125 | 4-12 | 60-95 |
| | 507 | Lantana – Yellow | 200 | 4-12 | 60-95 |
| | 506 | Lavender – Herb – Lavender Lady | 200 | 4-12 | 60-95 |
| | 508 | Lobelia – Cambridge Blue | 200 | 4-12 | 60-95 |
| | 501 | Marigold-Marvel Yellow-Coated Hi-Germ | 130 | 4-12 | 60-95 |
| | 492 | Marigold-Marvel Yellow (no tail) | 115 | 4-12 | 60-95 |

**AUXILIARY MODULE CALIBRATIONS AVAILABLE FOR STEINLITE SB900
LISTED ALPHABETICALLY WITHIN COMMODITY SECTIONS**

| Main Commodity | ID Number | Product | Testing Wt. In Grams | Moisture Range in Percent | Temperature Limits in Degrees F |
|---------------------------------|-----------|-----------------------------------|----------------------|---------------------------|---------------------------------|
| | 493 | Marigold-Marvel Yellow w/tail | 45** | 4-12 | 60-95 |
| | 548 | Moonflower | 250 | 4.6-12 | 60-95 |
| | 513 | Nicotiana – Mixed | 150 | 4-12 | 60-95 |
| | 511 | Petunia-Single Grand-White Dreams | 150 | 4-12 | 60-95 |
| | 512 | Snapdragon – Mixed | 125 | 4-12 | 60-95 |
| | 494 | Sweet Pea – Royal Mix | 250 | 4-12 | 60-95 |
| | 498 | Verbena – Burgundy IVE55 | 150 | 4-12 | 60-95 |
| | 495 | Vinca – Pretty In White | 200 | 4-12 | 60-95 |
| | 496 | Viola – Princess Blue | 200 | 4-12 | 60-95 |
| | 510 | Zinnia – Lollipop Mix | 120 | 4-12 | 60-95 |
| | 497 | Zinnia – Star Orange | 100 | 4-12 | 60-95 |
| FRUIT | 474 | Apples | 110** | 15-30 | 60-95 |
| (Dehydrated/ & Meal) | 624 | Apple Meal | 250 | 1-9 | 40-110 |
| | 621 | ½,1/4, 3/8 Granny Smith Apples | 88** | 1-29 | 40-110 |
| | 622 | Mixed Apple Pie | 110** | 11-29 | 40-110 |
| | 623 | ¼ Mixed Apples | 110** | 1-29 | 10-110 |
| | 459 | Apricots Large Whole | 250** | 16-30 | 60-95 |
| | 460 | Apricots Pieces | 250** | 16-33 | 60-95 |
| | 710 | Banana Meal (flour) | 200* | 6-14 | 60-95 |
| | 620 | Black Sweet Cherries Dhy | 285* | 8-26 | 35-120 |
| | 456 | Blueberries Small | 200* | 10-25 | 60-95 |
| | 457 | Blueberries Large | 160* | 10-25 | 60-95 |
| | 520 | Cherries | 285* | 11.2-18 | 60-95 |
| | 476 | Cranberries | 250** | 7-21 | 60-95 |
| | 463 | Dates Pieces | 200* | 11-17 | 60-95 |
| | 464 | Papaya Pieces | 250* | 5-18 | 60-95 |
| | 465 | Pineapple Pieces | 200* | 6-17 | 60-95 |
| | 461 | Prunes Whole | 275** | 18-37 | 60-95 |
| | 462 | Raisins Large Whole | 200* | 9-18 | 60-95 |
| | 519 | Strawberries | 220* | 10.9-14 | 60-95 |
| | 477 | Tomatoes (high moisture) | 125**` | 14-33 | 60-95 |
| | 475 | Tomatoes (low moisture) | 70** | 6-13 | 60-95 |
| GRAIN SCREENING | 393 | Aspirated Grain Screenings | 165** | 10-15.5 | 60-90 |
| | 410 | Aspirated Grain Screening Pellets | 250 | 9-17 | 60-90 |
| GRASSES AND FORAGE SEEDS | 412 | Bahia | 250 ## | 9.5-17.5 | 70-90 |
| | 413 | Bermuda (Unhulled) | 200 ## | 10-18 | 65-90 |
| | 414 | Bermuda (Hulled) | 300 ## | 9-19 | 65-95 |
| | 605 | Big Bluestem Andropogen Geradi | 70 ##** | 7-35 | 40-115 |
| | 415 | Canary | 250 ## | 9-18 | 65-95 |
| | 609 | Centipede | 250 | 9-27 | 35-120 |

**AUXILIARY MODULE CALIBRATIONS AVAILABLE FOR STEINLITE SB900
LISTED ALPHABETICALLY WITHIN COMMODITY SECTIONS**

| Main Commodity | ID Number | Product | Testing Wt. In Grams | Moisture Range in Percent | Temperature Limits in Degrees F |
|--|-----------|------------------------------|----------------------|---------------------------|---------------------------------|
| | 377 | Clover (Alsike) | 300 ## | 7-19.5 | 65-95 |
| | 416 | Clover (Crimson) | 300 ## | 9-18 | 65-90 |
| | 347 | Clover (Red) | 300 ## | 7-19.5 | 65-95 |
| | 612 | Eastern Gama Grass | 250 | 7-37 | 35-120 |
| | 115 | Fescue #3 (K-31) | 125 ## | 9.5-30 | 60-90 |
| | 559 | Fescue #4 (K-31) | 125 ## | 6-33 | 60-95 |
| | 452 | Fescue (Chewings) | 80 ##** | 6-50 | 60-95 |
| | 417 | Fescue (Creeping Red) | 125 ## | 10-18 | 60-95 |
| | 453 | Fescue #2 (Creeping Red) | 80 ##** | 6-46 | 60-95 |
| | 454 | Fescue (Hard) | 80 ##** | 6-50 | 60-95 |
| | 455 | Fescue (Tall Turf) | 90 ## | 6-50 | 60-95 |
| | 313 | Lespedeza #2 (Unhulled Kobe) | 150 ## | 8-20 | 60-90 |
| | 293 | Lespedeza (Unhulled Korean) | 250 ## | 9-18 | 70-90 |
| | 295 | Lespedeza (Unhulled Sericea) | 150 ## | 10-18 | 60-95 |
| | 348 | Lespedeza (Hulled Sericea) | 275 ## | 10-18 | 60-95 |
| | 608 | Little Bluestem | 40 ##** | 7-35 | 35-120 |
| | 444 | Rye (Annual) | 100 ## | 6-50 | 60-95 |
| | 451 | Rye (Perennial) | 90 ## | 6-50 | 60-95 |
| | 606 | Sideoats Grama | 60 ##** | 7-35 | 40-115 |
| GRASS & FORGAGE CON'T | 185 | Sudan | 250 ## | 5-30 | 60-95 |
| | 598 | Switch Grass | 260 | 7-32 | 35-120 |
| | 378 | Timothy | 250 ## | 8.5-18 | 60-95 |
| | 383 | Trefoil | 250 ## | 8-20 | 60-95 |
| | 418 | Vetch (White Cahaba) | 250 ## | 10-18 | 60-95 |
| | 419 | Vetch (Hairy) | 250 ## | 10-23 | 60-90 |
| | 611 | Yellow Indian Grass | 90 ##** | 7-35 | 35-120 |
| INDUSTRIAL PRODUCTS | | | | | |
| | 633 | Renfil #80 Organic Fiber | 150 | 0-10 | 60-95 |
| | 634 | Renfil #30 Organic Fiber | 150 | 0-10 | 60-95 |
| | 635 | Renfil #16 Organic Fiber | 150 | 0-10 | 60-95 |
| LINSEED | 316 | Linseed Meal #2 | 225 | 10-15 | 60-95 |
| MARIGOLD | 600 | EMFM (Extracted Marigold) | 175 | 12-20 | 60-90 |
| MILLET | 381 | Japanese Millet | 200 | 8-20 | 60-95 |
| | 184 | Pearl Millet #2 | 250 | 5-30 | 65-95 |
| | 183 | Proso Millet Red & White | 250 | 9.5-18 | 65-95 |
| | 257 | Proso Millet #2 | 250 | 10-19 | 65-95 |
| MILO | 370 | Milo | 250 | 9-22 | 50-95 |

**AUXILIARY MODULE CALIBRATIONS AVAILABLE FOR STEINLITE SB900
LISTED ALPHABETICALLY WITHIN COMMODITY SECTIONS**

| Main Commodity | ID Number | Product | Testing Wt. In Grams | Moisture Range in Percent | Temperature Limits in Degrees F |
|-----------------------|-----------|---|----------------------|---------------------------|---------------------------------|
| | 213 | Milo #6 (TC) | 250 | 5-30 | 35-110 |
| | 352 | Rolled Milo | 175 | 10-21 | 60-90 |
| | 445 | Steam Rolled Milo | 200 | 9-19 | 50-100 |
| | 196 | Flaked Milo | 165 | 15-30 | 50-90 |
| | 216 | Grain Roasted Flaked Milo (TC) | 165 | 4-15 | 70-120 |
| | 615 | Roasted Flaked Milo #2 | 61** | 4-18 | 35-120 |
| MOLASSES | 694 | Dried Molasses | 225 | 1-9 | 60-95 |
| MUSTARD | 411 | Yellow Mustard | 250 | 7-17 | 65-95 |
| NUTS | 283 | Almonds (unshelled) | 165 | 3-16 | 60-100 |
| | 285 | Almonds (shelled & blanched) | 200 | 2-15 | 40-110 |
| | 580 | Almonds (diced & blanched) | 210* | 1-13 | 35-110 |
| | 579 | Almonds (meal blanched) | 200* | 1-13 | 35-110 |
| | 581 | Almonds (sliced & blanched) | 170* | 1-13 | 35-110 |
| | 582 | Almonds (slivered & blanched) | 200* | 1-13 | 35-110 |
| | 583 | Almonds (whole & blanched) #2 | 200* | 1-13 | 35-110 |
| | 630 | Almonds (dry roasted diced) (TC) | 210 | 1-4 | 40-110 |
| | 656 | Almonds (meal Natural w/skin) | 200 | 3-6 | 60-95 |
| NUTS CON'T | 657 | Almonds (Sliced Natural w/skin) | 175* | 3-7 | 60-95 |
| | 658 | Almonds (Diced Natural w/skin) | 225 | 3-7.5 | 60-95 |
| | 686 | Almonds (blanch Lo Moisture whole) | 200 | 1-9 | 60-95 |
| | 729 | Almonds (shelled) Revised | 200 | 2-15 | 50-100 |
| | 296 | Brazil (shelled whole) | 200* | 2-14 | 60-95 |
| | 273 | Cashews (unshelled) (TC)*** | 200* | 5-19 | 50-100 |
| | 274 | Cashews (shelled whole) (TC) | 200* | 2-13 | 50-100 |
| | 275 | Cashews (shelled pieces) (TC) | 200* | 2-13 | 50-100 |
| | 663 | Hazelnuts Casina (w/shell) small | 160* | 3-17 | 50-100 |
| | 664 | Hazelnut Jumbo Giant Ennis | 200* | 3-17 | 60-95 |
| | 665 | Hazelnut Field Run Ennis | 200* | 3-17 | 60-95 |
| | 677 | Hazelnut Ground Meats & shells | 225 | 5-17 | 60-95 |
| | 260 | Hazelnuts (unshelled) (TC) Orchard Sm | 200* | 3-16 | 50-100 |
| | 261 | Hazelnuts (unshelled) Jumbo (TC) | 200* | 3-16 | 50-100 |
| | 565 | Hazelnuts (unshelled) X-Lrg. Barcelona | 150* | 2-15.5 | 60-95 |
| | 262 | Hazelnuts (shelled) Jumbo (TC) | 200* | 3-16 | 50-100 |
| | 564 | Hazelnuts (kernels X-Lrg. Barcelona) | 175* | 2-12 | 60-95 |
| | 331 | Hazelnuts #2 (shelled) Orchard Sml (TC) | 200* | 3-15 | 50-100 |
| | 297 | Macadamia (shelled pieces) | 150* | 2-14 | 60-95 |
| | 597 | Macadamia (whole shelled) | 250* | 1.5-15 | 60-100 |
| | 200 | Peanuts – Shelled Runner | 250 | 6-19 | 65-95 |
| | 201 | Peanuts – Shelled Spanish | 250 | 6-19 | 65-95 |
| | 253 | Peanuts – Shelled Valencia (TC) | 250 | 6-22 | 50-100 |
| | 290 | Peanuts (shelled & roasted) | 250 | 1-6 | 60-100 |
| | 202 | Peanuts – Shelled Virginia | 250 | 6-19 | 65-95 |
| | 678 | Peanuts-Screened Splits | 250 | 2-10 | 60-95 |

**AUXILIARY MODULE CALIBRATIONS AVAILABLE FOR STEINLITE SB900
LISTED ALPHABETICALLY WITHIN COMMODITY SECTIONS**

| Main Commodity | ID Number | Product | Testing Wt. In Grams | Moisture Range in Percent | Temperature Limits in Degrees F |
|------------------------|--------------|--|----------------------------|---------------------------------|---------------------------------------|
| | 679 | Peanuts-Whole Blanch Med Runner | 250 | 2-10 | 60-95 |
| | 680 | Peanuts-Whole Blanch Jumbos | 250 | 2-10 | 60-95 |
| | 681 | Peanuts-Hi-Cnt Blanch Splits(Doster) | 250 | 2-10 | 60-95 |
| | 682 | Peanuts-Med Blanch Virginia | 250 | 2-10 | 60-95 |
| | 683 | Peanuts-Rst Blanch Virginia Splits | 250 | 2-10 | 60-95 |
| | 684 | Peanuts-Xtra Large Blanch Virginia | 250 | 2-10 | 60-95 |
| | 685 | Peanuts-Resorts Blanch Virginia | 250 | 2-10 | 60-95 |
| | 212 | Peanuts (ground hulls) | 125 | 4-15 | 60-100 |
| | 263 | Peanuts (14/40 Granulated Hulls)(TC) | 200 | 3-12 | 50-100 |
| | 717 | Peanuts Ground Peanut Hull Pellets | 250 | 7-17 | 60-95 |
| | 526 | Peanut Meal | 250 | 8-15.5 | 60-95 |
| | 278 | Pecans #2 (shelled) | 150* | 2-15 | 50-90 |
| | 279 | Pecans (shelled pieces) | 150* | 2-12 | 50-90 |
| | 280 | Pecans (shelled Lrg Pieces & Halves) | 150* | 2-12 | 50-90 |
| | 390 | Pecans (unshelled) Size 10 and up | 200*# | 3-16 | 60-95 |
| | 458 | Pecans (unshelled) Below size 10 | 175*# | 2-17 | 60-95 |
| | 524 | Pecans (unshelled) Elliots | 175*# | 3-28 | 60-95 |
| | 429 | Pecans (shelled) Bradley Halves (TC) | 150* | 1-14 | 60-110 |
| | 530 | Pecans (shelled) Desirable Halves (TC) | 170* | 2-14.5 | 60-120 |
| | 525 | Pecans (shelled) Elliot Halves (TC) | 150* | 2-17 | 60-120 |
| | 409 | Pecans (shelled) Jumbo Halves (TC) | 150* | 2-12 | 60-110 |
| | 676 | Pecans (shelled) Lg Hlvs Young Pcn | 150* | 2-10 | 60-95 |
| | 388 | Pecans (shelled) Mammoth Halves (TC) | 150* | 2-12 | 60-110 |
| | 668 | Pecans (shelled) Mammoth Hlvs Wichita | 150* | 2-12 | 60-95 |
| | 674 | Pecan Jr (shelled) Mammoth Hlvs (TC) | 150* | 3-11 | 60-110 |
| | 532 | Pecans (shelled) Native Halves (TC) | 175* | 1-18 | 60-120 |
| | 430 | Pecans (shelled) West Schley Hlvs (TC) | 150* | 1-14 | 60-110 |
| | 666 | Pecans Western Schley w/shell | 200* | 2-16 | 60-95 |
| NUTS CONT'D | 405 | Pecans (shelled) Large Pieces (TC) | 150* | 2-10 | 60-110 |
| | 389 | Pecans (shelled) Medium Pieces (TC) | 150* | 2-12 | 60-110 |
| | 423 | Pecans (shelled) Small Pieces (TC) | 150 | 1-14 | 60-110 |
| | 424 | Pecans (shelled) Midget Pieces (TC) | 150 | 1-14 | 60-110 |
| | 241 | Pistachios #2 (unshelled) Raw | 225 | 3-16 | 60-90 |
| | 557 | Pistachios (Sinkers-Raw) (TC) | 175 | 2-20 | 34-150 |
| | 558 | Pistachios (Floaters-Raw) (TC) | 175 | 2-20 | 34-150 |
| | 281 | Pistachios (unshelled Rstd & Salted) | 225 | 2-5 | 60-90 |
| | 556 | Pistachios (unshelled Rst & Slt) (TC) | 225 | 1-8 | 34-150 |
| | 282 | Pistachios (shelled) | 225 | 3-11 | 60-90 |
| | 555 | Pistachios (Rst & Slt Meats) (TC) | 200 | 1-8 | 34-150 |
| | 690 | Pistachio Meats Roasted & slt w/shell | 200 | 1-8 | 50-100 |
| | 691 | Pistachio Whole Rst & slt w/shell | 225 | 1-9 | 50-100 |
| | 692 | Pistachio Whole Sinkers Raw | 175 | 2-20 | 50-100 |
| | 693 | Pistachio Floaters Closed Shell | 175 | 2-20 | 50-100 |
| | 276 | Walnuts (shelled halves) English | 150 | 3-10 | 50-90 |
| | 277 | Walnuts (shelled pieces) English | 250 | 2-10 | 50-90 |
| | 521 | Walnut (pieces Lrg Shell & Meats) (TC) | 150 | 5-24 | 60-115 |

**AUXILIARY MODULE CALIBRATIONS AVAILABLE FOR STEINLITE SB900
LISTED ALPHABETICALLY WITHIN COMMODITY SECTIONS**

| Main Commodity | ID Number | Product | Testing Wt. In Grams | Moisture Range in Percent | Temperature Limits in Degrees F |
|------------------------|--------------------------|--------------------------------------|----------------------|---------------------------|---------------------------------|
| | 522 | Walnut (pieces Sm. Shell & Meats(TC) | 200 | 5.1-25 | 60-115 |
| | 629 | Walnuts Dry Roasted Diced (TC) | 210 | 1-5 | 40-110 |
| | 725 | Walnut Shelled Pieces 3.5-6.5 mm | 150* | 2-10 | 60-95 |
| | 726 | Walnut Shelled Pieces 6.5-9.5 mm | 150* | 2-10 | 60-95 |
| | 727 | Walnut Shelled Pieces 9.5-13.0 mm | 125* | 2-10 | 60-95 |
| | 728 | Walnut Shells & Meats 9.5-13.0 mm | 125* | 7-30 | 60-95 |
| OATS | 217 | Grain Roasted Flaked Oats (TC) | 120 | 4-15 | 70-120 |
| | 631 | Ground Steam Rolled Oats (TC) | 130 | 10-16 | 40-120 |
| | 317 | Oat Groats | 250 | 9-19 | 50-95 |
| | 707 | Oats (oat meal) | 175 | 8-16 | 60-95 |
| | 632 | Steam Crimped Oats (TC) | 130 | 8-18 | 40-120 |
| | 372 | Steam Rolled Oats | 130 | 10-16 | 60-90 |
| PEANUTS | (SEE NUT LISTING) | | | | |
| PEAS | 403 | Alaska Field Peas | 250 | 8-18 | 65-90 |
| | 375 | Canadian Field Peas (Century) | 250 | 13-19 | 60-95 |
| | 292 | Canadian Field Peas (Trapper) | 250 | 11-21 | 60-95 |
| | 265 | Cowpeas | 250 | 10.5-21 | 60-95 |
| | 360 | Cowpeas (Blackeyed) | 250 | 8-17 | 60-95 |
| | 404 | Green Peas (Whole) | 250 | 9-18 | 60-95 |
| | 433 | Green Peas (Split) | 250 | 5-30 | 60-95 |
| | 434 | Yellow Peas (Split) | 250 | 5-30 | 60-95 |
| | 714 | Pea Meal (flour) | 200* | 6-14 | 60-95 |
| PHARMACEUTICALS | 481 | Gelatin Capsules (Filled) | 203 | 2-3 | 60-95 |
| POPCORN | 272 | Popcorn (CAP) | 250 | 11-19 | 60-90 |
| | 225 | Popcorn (P410) | 250 | 12.5-17.5 | 70-85 |
| | 533 | Popcorn (P608) Yellow (TC) | 250 | 8-30 | 35-115 |
| POPCORN | 534 | Popcorn (P615) Yellow (TC) | 250 | 8-30 | 35-115 |
| CON'T | 535 | Popcorn (P618) Yellow (TC) | 250 | 8-30 | 35-115 |
| | 550 | Popcorn (65K) Yellow | 250 | 8-30 | 60-95 |
| | 551 | Popcorn (70K) Yellow | 250 | 8-30 | 60-95 |
| | 552 | Popcorn (75K) Yellow | 250 | 8-30 | 60-95 |
| | 553 | Popcorn (80K) Yellow | 250 | 8-30 | 60-95 |
| | 554 | Popcorn (85K) Yellow | 250 | 8-30 | 60-95 |
| | 228 | Popcorn #3 Yellow/White | 250 | 12-18 | 60-90 |
| | 536 | Popcorn White Dynamite (TC) | 250 | 8-30 | 35-115 |
| PSYLLIUM | 392 | Psyllium #2 (Unextruded) | 140** | 6-15 | 50-90 |
| | | Psyllium (Pellets) | 125 | 8-14 | 60-120 |
| | | Psyllium #2 (Granulated) | 200 | 7-13 | 60-120 |

**AUXILIARY MODULE CALIBRATIONS AVAILABLE FOR STEINLITE SB900
LISTED ALPHABETICALLY WITHIN COMMODITY SECTIONS**

| Main Commodity | ID Number | Product | Testing Wt. In Grams | Moisture Range in Percent | Temperature Limits in Degrees F |
|--------------------------------------|-----------|---------------------------------------|----------------------|---------------------------|---------------------------------|
| RAPESEED (SEE CANOLA LISTING) | | | | | |
| RICE | 351 | Long Grain Rough Rice #4 | 250 ## | 9-18 | 50-90 |
| | 560 | Long Grain Rough Rice #5 (TC) | 250 ## | 4.5-29 | 35-120 |
| | 379 | Hi-Temp Long Grain Rough Rice | 250 ## | 11.8-16 | 100-120 |
| | 350 | Hulled Short Grain Brown Rice | 250 ## | 8-18 | 60-95 |
| | 435 | Medium Grain White Rice | 250 ## | 6-18 | 60-95 |
| | 516 | Med/Short Grain Cross White Rice | 250 ## | 8.5-18 | 60-115 |
| | 204 | Long Grain White Milled Rice | 250 ## | 9-18 | 60-95 |
| | 223 | Long Grain White Milled Rice #2 | 250 ## | 12-15 | 60-95 |
| | 436 | Long Grain White Rice 50% Broken | 250 ## | 6-18 | 60-95 |
| | 205 | Long Grain Brown Rice | 250 ## | 9-18 | 60-95 |
| | 206 | Long Grain White Milled Parboiled | 250 ## | 9-18 | 60-95 |
| | 207 | Long Grain Brown Parboiled Rice | 250 ## | 9-18 | 60-95 |
| | 386 | Processed White Milled Rice (TC) | 125 ## | 6-15 | 60-110 |
| | 387 | Processed White Milled Parboiled (TC) | 125 ## | 6-15 | 60-110 |
| | 175 | Brewers Rice | 275 ## | 6-16 | 60-95 |
| | 578 | Rice Fractions | 175 | 8.5-14.5 | 60-90 |
| | 315 | Rice Millfeed | 150 | 8-20 | 50-90 |
| SAFFLOWER | | | | | |
| | 539 | Safflower Meal | 250 | 7-15 | 60-90 |
| SESAME | | | | | |
| | 192 | Sesame Seed | 250 | 3-10.5 | 70-90 |
| SILICA | | | | | |
| | 308 | Silica Gel (TC) | 250 | 5-9 | 70-150 |
| | 538 | Silica Gel #2 High Moisture (TC) | 250 | 8-22 | 65-150 |
| SORGHUM | | | | | |
| | 595 | Sorghum Almun | 250 | 8-30 | 35-115 |
| SOYBEANS | | | | | |
| | 625 | Solnuts (MT Replacer) | 113 | 5-13 | 35-120 |
| | 146 | Soybeans | 250 | 9-18 | 50-90 |
| | 239 | Soybeans 85 (TC) | 250 | 9-18 | 35-100 |
| | 188 | Soybeans #4 | 250 | 5-18 | 45-95 |
| | 179 | High Moisture Soybeans (Italy) | 250 | 18.1-30 | 65-95 |
| | 601 | Lo-Temperature,Lo-Moist. Soybeans | 250 | 7-12 | 32-65 |
| | 221 | High Temperature Corrected Soybean | 250 | 9-18 | 70-130 |
| | 349 | Cracked Soybeans | 250 | 8-18 | 65-85 |
| | 531 | Cracked Soybeans #2 (TC) | 250 | 4-22 | 60-120 |
| | 528 | Soybeans Dried Plain Halves | 200 | 1-6 | 60-95 |
| | 529 | Soybeans Toasted Splits | 250 | 2-12 | 60-95 |
| | 599 | Steam Flaked Soybeans | 250 | 10-17 | 60-90 |
| | 215 | Grain Roasted Flaked Soybeans (TC) | 190 | 4-15 | 70-120 |

**AUXILIARY MODULE CALIBRATIONS AVAILABLE FOR STEINLITE SB900
LISTED ALPHABETICALLY WITHIN COMMODITY SECTIONS**

| Main Commodity | ID Number | Product | Testing Wt. In Grams | Moisture Range in Percent | Temperature Limits in Degrees F |
|-------------------|-----------|------------------------------------|----------------------|---------------------------|---------------------------------|
| | 603 | Hi-Temp Lo-Moist. Roasted Soybeans | 250 | 6-10 | 70-120 |
| | 604 | Hi-Temp Lo-Mo Crimped Roasted Soy | 225 | 6-10 | 80-120 |
| | 312 | Soy Flour | 250 | 8-20 | 50-95 |
| | 573 | Toasted Soy Grits | 225 | 6.7-11 | 60-90 |
| | 602 | Ground Soy Hulls | 150 | 10-15 | 80-100 |
| | 314 | Ground Soy Hulls #2 | 150 | 10-15 | 80-100 |
| | 144 | Soybean Meal | 250 | 9-13 | 70-90 |
| | 145 | Soybean Meal #2 | 250 | 9-13 | 70-90 |
| | 359 | Soybean Meal #4 (TC) | 250 | 9-16 | 70-130 |
| | 191 | Soybean Meal Pellets | 250 | 10-15 | 70-90 |
| | 167 | Soybean Meal #3 (Ground Pellets) | 250 | 10-18 | 65-90 |
| | 334 | Soybean Mill Feed | 200 | 8-14 | 60-90 |
| | 353 | Soybean Mill Feed #2 (TC) | 150 | 8-15 | 60-110 |
| SPELT | 380 | Unhulled Spelt | 150 | 8-20 | 60-95 |
| | 376 | Hulled Spelt | 250 | 9-18 | 50-95 |
| SUNFLOWER | | | | | |
| | 189 | Sunflower #2 (Edible) | 150 | 5-25 | 60-90 |
| | 549 | Sunflower #4 (Edible) (TC) | 110 | 4-27 | 34-150 |
| | 610 | Sunflower #6 (Edible) (TC) | 110 | 4-28 | 35-120 |
| | 194 | Sunflower #2 (Oil) | 150 | 5-25 | 65-90 |
| | 402 | Sunflower #3 (Oil) (TC) | 150 | 5-10 | 35-110 |
| | 229 | Sunflower (Low Oil) | 150 | 5-10 | 50-90 |
| | 298 | Sunflower Meats | 250 | 7-16 | 60-90 |
| | 244 | Sunflower Oil Meal #2 | 200 | 8.5-15 | 60-95 |
| VEGETABLES | | | | | |
| | 344 | Amaranth | 200 | 6-18 | 60-95 |
| | 641 | Asparagus (UC157) | 250 | 4-16 | 60-95 |
| | 660 | Artichoke | 250 | 4-12 | 60-95 |
| | 168 | Garden Beans | 250 | 8-19 | 60-90 |
| | 336 | Hyacinth Beans | 250 | 8-20 | 60-95 |
| | 335 | Yard Long Beans | 250 | 8-20 | 60-95 |
| | 644 | Basil Seed (Large Leaf) | 225 | 4-16 | 60-95 |
| VEG'T | 321 | Beet (Decorticated) | 150 | 5-16 | 60-95 |
| CON'T | 650 | Beet Seed (Detroit-Corticated) | 150 | 4-16 | 60-95 |
| | 339 | Spinach Beet | 150 | 6-18 | 60-95 |
| | 324 | Broccoli | 200 | 5-15 | 60-95 |
| | 406 | Cabbage | 150 | 5-15 | 60-95 |
| | 544 | Cabbage (Chinese) | 150 | 4-21 | 60-95 |
| | 235 | Cantaloupe Melon | 150 | 6-15 | 60-95 |
| | 322 | Carrot | 150 | 5-15 | 60-95 |
| | 724 | Carrot PPL med-coated | 200 | 3-11 | 60-95 |
| | 326 | Cauliflower | 200 | 5-16 | 60-95 |
| | 407 | Celery | 200 | 5-15 | 60-95 |

**AUXILIARY MODULE CALIBRATIONS AVAILABLE FOR STEINLITE SB900
LISTED ALPHABETICALLY WITHIN COMMODITY SECTIONS**

| Main Commodity | ID Number | Product | Testing Wt. In Grams | Moisture Range in Percent | Temperature Limits in Degrees F |
|----------------|-----------|-----------------------------|----------------------|---------------------------|---------------------------------|
| | 545 | Choisim | 150 | 4-21 | 60-95 |
| | 659 | Collards | 250 | 4-12 | 60-95 |
| | 543 | Coriander | 150 | 4-21 | 60-95 |
| | 638 | Coriander Seed Small | 150 | 4-16 | 60-95 |
| | 646 | Coriander Large | 125 | 4-16 | 60-95 |
| | 327 | Cucumber #1 (Beit Alpha MR) | 200 | 6-15 | 60-95 |
| | 328 | Cucumber #2 (Poinsett 76) | 200 | 6-15 | 60-95 |
| | 673 | Cucumber FMX(cross country) | 200 | 4-14 | 60-95 |
| | 256 | Eggplant (TC) | 200 | 5-17 | 50-100 |
| | 643 | Endives (Batavian) | 200 | 4-16 | 60-95 |
| | 342 | Gourd (Bitter) | 150 | 6-18 | 60-95 |
| | 341 | Gourd (Bottle) | 125 | 6-18 | 60-95 |
| | 733 | Gourd (Bottle) Large | 200 | 5-16 | 60-95 |
| | 478 | Gourd (Ridge) | 200 | 4-21 | 60-95 |
| | 479 | Gourd (Snake) | 150 | 4-21 | 60-95 |
| | 343 | Gourd (Sweet) | 150 | 6-18 | 60-95 |
| | 542 | Gourd (Wax) | 150 | 4-21 | 60-95 |
| | 236 | Honeydew Melon | 200 | 6-15 | 60-95 |
| | 540 | Kale (Chinese) | 150 | 4-21 | 60-95 |
| | 480 | Kang Kong (Sweet Potato) | 250 | 4-20 | 60-95 |
| | 626 | Leeks | 250 | 6-18 | 35-120 |
| | 233 | Lettuce | 150 | 5-16 | 60-90 |
| | 718 | Lettuce PPL Maxi –coated | 200 | 1-9 | 60-95 |
| | 719 | Lettuce Pro Flow-coated | 200 | 1-9 | 60-95 |
| | 720 | Lettuce PPH Maxi-coated | 200 | 1-9 | 60-95 |
| | 723 | Lettuce Oxykote-coated | 300 | 1-9 | 60-95 |
| | 541 | Mustard (Chinese) | 150 | 4-21 | 60-95 |
| | 340 | Okra | 200 | 7-18 | 60-95 |
| | 323 | Onion | 150 | 5-15 | 60-95 |
| | 637 | Onion – Polycoat | 200 | 4-16 | 60-95 |
| | 721 | Onion PPL maxi-coated | 200 | 1-9 | 60-95 |
| | 640 | Onion – Treated | 200 | 4-16 | 60-95 |
| | 645 | Onion – Fistulosum | 200 | 4-16 | 60-95 |
| | 345 | Papaya | 100 | 7-18 | 60-95 |
| | 642 | Parsley (Plain) | 200 | 4-16 | 60-95 |
| | 169 | Peas (Smooth Garden) | 250 | 8-18 | 65-90 |
| | 170 | Peas (Wrinkled Garden) | 250 | 8-18 | 65-90 |
| | 219 | Pepper (TC) | 150 | 5-16 | 50-100 |
| | 337 | Pepper (Chili) (TC) | 150 | 5-16 | 50-100 |
| | 242 | Pumpkin | 150 | 5-16 | 60-95 |
| | 734 | Pumpkin Large Seed | 125 | 5-16 | 60-95 |
| | 669 | Pumpkin Munchkin | 185 | 4-16 | 60-95 |
| VEG'T | 325 | Radish | 150 | 5-16 | 60-95 |
| CON'T | 338 | Spinach (Indian) | 150 | 6-18 | 60-95 |
| | 699 | Spinach (New Zealand) | 100 | 6-17 | 60-95 |
| | 654 | Spinach Seed (Alf Chrt'n) | 210 | 4-40 | 60-95 |

**AUXILIARY MODULE CALIBRATIONS AVAILABLE FOR STEINLITE SB900
LISTED ALPHABETICALLY WITHIN COMMODITY SECTIONS**

| Main Commodity | ID Number | Product | Testing Wt. In Grams | Moisture Range in Percent | Temperature Limits in Degrees F |
|----------------|-----------|-------------------------------------|----------------------|---------------------------|---------------------------------|
| | 671 | Squash Pink Banana | 150 | 4-14 | 60-95 |
| | 329 | Squash #1 (Waltham Butternut) | 200 | 6-15 | 60-95 |
| | 330 | Squash #2 (Hybrid Genie) | 200 | 6-15 | 60-95 |
| | 248 | Sweet Corn (TC) | 250 | 5-17 | 50-100 |
| | 420 | Sweet Corn #2 (TC) | 200 | 5-18 | 50-100 |
| | 421 | Sweet Corn Shrunken Gene (TC) | 200 | 5-17 | 50-100 |
| | 716 | SweetCorn Hybrid Shrunken Type2 | 250 | 4-20 | 60-95 |
| | 232 | Tomato | 150 | 5-16 | 70-90 |
| | 220 | Tomato (Defuzzed) (TC) | 150 | 5-16 | 50-100 |
| | 722 | Tomato PPL mini -coated | 200 | 2-10 | 60-95 |
| | 639 | Turnip Seed (Purple Top) | 250 | 4-16 | 60-95 |
| | 234 | Watermelon | 175 | 6.5-16.5 | 60-90 |
| | 320 | Watermelon #2 | 175 | 5-18 | 60-95 |
| | 230 | Watermelon (Charleston) | 175 | 6-15 | 60-95 |
| | 670 | Watermelon (Honey Red) | 175 | 4-14 | 60-95 |
| | 231 | Watermelon (Sugar Baby) | 175 | 6-15 | 60-95 |
| | 648 | Zucchini Squash | 200 | 4-16 | 60-95 |
| | 649 | Zucchini Squash – Polycoat | 200 | 4-16 | 60-95 |
| WHEAT | 515 | Encora Rojo Wheat (TC) | 250 | 6-14 | 60-115 |
| | 588 | Daws #4 Bulgur | 250 | 8-16 | 35-120 |
| | 590 | Daws Half Cut Bulgur | 250 | 8-16 | 35-120 |
| | 585 | Daws #1 Bulgur | 250 | 8-16 | 35-120 |
| | 594 | Daws Raw Wheat | 250 | 8-16 | 35-120 |
| | 587 | Daws #3 Bulgur | 250 | 8-16 | 35-120 |
| | 586 | Daws #2 Bulgur | 250 | 8-16 | 35-120 |
| | 593 | Daws Whole Grain Non-Pearled Bulgur | 250 | 8-16 | 35-120 |
| | 592 | Daws Whole Grain Pearled Bulgur | 250 | 8-16 | 35-120 |
| | 226 | Hard Red Spring Wheat | 250 | 9-18 | 50-90 |
| | 401 | Hard Red Spring Wheat #4 (TC) | 250 | 9-18 | 35-110 |
| | 173 | Hard Red Winter Wheat | 250 | 9-18 | 50-90 |
| | 238 | Hard Red Winter Wheat #3 (TC) | 250 | 9-18 | 35-100 |
| | 589 | Madsen Raw Wheat | 250 | 8-16 | 35-120 |
| | 591 | S & E Organic Raw Wheat | 250 | 8-16 | 35-120 |
| | 332 | Soft Red Winter Wheat (TC) | 250 | 9-18 | 35-110 |
| | 240 | Soft Red Winter Wheat #2 | 250 | 9-18 | 50-90 |
| | 428 | Kamut Wheat | 250 | 8-19 | 60-95 |
| | 301 | Triticale | 250 | 9-20 | 65-95 |
| | 446 | Flaked Wheat | 225 | 13-30 | 60-90 |
| | 195 | Flaked Wheat #2 | 210 | 15-30 | 60-90 |
| | 447 | Unextruded Wheat Bran | 200 | 10-20 | 50-90 |
| | 448 | Extruded Wheat Bran | 200 | 10-20 | 50-90 |
| | 449 | Wheat Flour | 250 | 8-17 | 75-85 |
| | 164 | Flash Dried Wheat Gluten | 250 | 5-10 | 75-85 |
| | 163 | Gelatinized Wheat Starch | 200 | 4-10 | 70-90 |
| | 162 | Pearl Wheat Starch | 225 | 5-13 | 70-90 |

**AUXILIARY MODULE CALIBRATIONS AVAILABLE FOR STEINLITE SB900
LISTED ALPHABETICALLY WITHIN COMMODITY SECTIONS**

| Main Commodity | ID Number | Product | Testing Wt. In Grams | Moisture Range in Percent | Temperature Limits in Degrees F |
|----------------|-----------|------------------------|----------------------|---------------------------|---------------------------------|
| | 715 | Wheat Meal (flour) | 200* | 10-18 | 60-95 |
| | 243 | Wheat Middlings | 150** | 10-17 | 60-90 |
| | 450 | Wheat Middling Pellets | 250 | 9-17 | 60-90 |
| | 303 | Wheat Screenings | 225 | 9-18 | 60-90 |
| | 574 | Regular Bulgur | 250 | 8-18 | 35-120 |
| | 576 | Regular Bulgur Ca | 250 | 8-18 | 35-120 |
| | 575 | Soy Bulgur | 250 | 8-18 | 35-120 |
| | 577 | Soy Bulgur Ca | 250 | 8-18 | 35-120 |
| WHEY | 247 | Dried Whey | 250 | 4-11 | 65-90 |
| WOOD | 408 | Wood Pellets | 250 ### | 5-13 | 65-95 |
| YEAST | 268 | Yeast #3 (O/G) (TC) | 250 | 6-10 | 70-120 |
| | 267 | Yeast #3 (S-60) (TC) | 250 | 4-7 | 70-120 |

***Requires Nut Funnel**

****Requires Compressor Block & Funnel**

*****Nuts Greater Than 1.5 inches or 3.75 cm in length are excluded**

#Nut Meat Conversion Chart Available

##For best results, pour initial weighed sample into grainbox before placing into funnel

###Wood pieces should not be greater than ¼ inch by ¼ inch by 1-1/2 inches long

TC – Specifically Temperature Corrected for that commodity

@All nut calibrations are for raw product only unless otherwise stated on calibration title